

PUBLICATIONS

1. 1981 Nakada T. and Remler M. P.: Primary position upbeat nystagmus: Another central vestibular nystagmus? *J Clin Neuro-ophthalmol* **1**:185-189
2. 1982 Nakada T., Knight R. T., and Mani R. L.: Intermittent venous claudication of the upper extremity: The pectoralis minor syndrome. *Ann Neurol* **11**:433-434
3. 1982 Nakada T. and Kwee I. L.: Floccular inhibition of the vestibulo-ocular reflex in man. *J Clin Neuro-ophthalmol* **2**:201-207
4. 1982 Nakada T., Kwee I. L., and Palmaz J. C.: Computed tomography of spinal cord atrophy. *Neuroradiology* **24**:97-99
5. 1983 Nakada T., Kwee I. L., Lerner A. M., and Remler M. P.: Theophylline-induced seizures: Clinical and pathophysiological aspects. *Wes J Med* **138**:371-374
6. 1983 Nakada T., St. John J. N., and Knight R. T.: Solitary metastasis of systemic malignant lymphoma to the cerebellopontine angle. *Neuroradiology* **24**:225-228
7. 1983 Kwee I. L. and Nakada T.: Wernicke's encephalopathy induced by Tolazamide. *N Engl J Med* **309**:599-600
8. 1983 Kwee I. L., Nakada T., and St. John J. N.: Triple fossa metastasis of prostate cancer. *Neurosurgery* **13**:584-586
9. 1983 Cooper J. A., Nakada T., Knight R. T., and Friedland R. P.: Autosomal dominant motor system degeneration in a black family. *Ann Neurol* **14**:585-586
10. 1984 Knight R. T., St. John J. N., and Nakada T.: Chewing oscillopsia: A case of voluntary visual illusions of movement. *Arch Neurol* **41**:95-96
11. 1984 Nakada T., Lee H., Kwee I. L., and Lerner A. M.: Epileptic Klüver-Bucy syndrome: Case report. *J Clin Psychiat* **45**:87-88
12. 1984 Nakada T., Kwee I. L., and Lee H.: Sustained upgaze in coma. *J Clin Neuro-ophthalmol* **4**:35-37
13. 1984 Lee H., Nakada T., Deal J. L., Lin S., and Kwee I. L.: Transfer of language dominance. *Ann Neurol* **15**:304-307
14. 1984 Lerner A. M., Lee H., Nakada T., and Kwee I. L.: Appendicitis presenting as lumbar plexus neuritis. *JAMA* **251**:1280
15. 1985 Kramer J., Delis D. C., and Nakada T.: Buccofacial apraxia without aphasia due to right hemispheric lesion. *Ann Neurol* **18**:512-513
16. 1985 Nakada T., Kwee I. L., Ellis W. G., St. John J. N.: Subacute diencephalic necrosis and dural arteriovenous malformation. *Neurosurgery* **17**:653-656
17. 1985 Kwee I. L. and Nakada T.: Syrxinx formation in multiple sclerosis. *Br J Radiol* **58**:1206-1208

18. 1985 Nakada T., Kwee I. L., Rao G. A., and Conboy C. B.: 19-Fluorine NMR spectra of 2-fluoro-2-deoxy-D-glucose and its metabolites. *Biochem Arch* **1**:163-166
19. 1986 Nakada T., Kwee I. L., and Conboy C. B.: In vivo non-invasive demonstration of the metabolic activities of 2-fluoro-2-deoxy-D-glucose beyond the hexokinase reaction in rat brain by 19-fluorine NMR spectroscopy. *J Neurochem* **46**:198-201
20. 1986 Nakada T. and Kwee I. L.: Oculopalatal myoclonus. *Brain* **109**:431-441
21. 1986 Kwee I. L., Nakada T., and Rao G. A.: Renal excretion of metabolites of 2-fluoro-2-deoxy-D-glucose as detected by ¹⁹F NMR spectroscopy. *Biochem Arch* **2**:1-6
22. 1986 Nakada T. and Kwee I. L.: In vivo metabolism of 2-fluoro-2-deoxy-D-glucose in the aldose reductase sorbitol pathway in rat brain demonstrated by ¹⁹F NMR spectroscopy. *Biochem Arch* **2**:53-61
23. 1986 Nakada T., Kwee I. L., and Arasaki K.: Neurocytotoxicosis. *Neurol Med* **25**:461-466
24. 1986 Mukherjee A. B., Ghazanfari A., Svoronos S., Staton R. C., Nakada T., and Kwee I. L.: Transketolase abnormality and tolazamide induced Wernicke's encephalopathy. *Neurology* **36**:1508-1510
25. 1987 Arasaki K., Nakada T., Kwee I. L., and Borcich J. P.: Subacute encephalitis in acquired immunodeficiency syndrome. *Clin Neurol* **27**:321-324
26. 1987 Nakada T. and Kwee I. L.: Non-invasive evaluation of effects of an aldose reductase inhibitor in rat brain by ¹⁹F FDG NMR spectroscopy. *Magn Reson Med* **4**:366-371
27. 1987 Woods D. L., Kwee I. L., Clayworth C. C., Kramer J. H., and Nakada T.: Sensory and cognitive evoked potentials in a case of congenital hydrocephalus. *Electroencephalogr Clin Neurophysiol* **68**:202-208
28. 1987 Kwee I. L., Nakada T., and Card P. J.: Non-invasive demonstration of in vivo 3-fluoro-3-deoxy-D-glucose metabolism in rat brain by ¹⁹F NMR spectroscopy: Suitable tracer in monitoring cerebral aldose reductase activities. *J Neurochem* **49**:428-433
29. 1987 Arasaki K., Kwee I. L., and Nakada T.: Limbic lymphoma. *Neuroradiology* **29**:389-392
30. 1987 Nakada T. and Kwee I. L.: Heterogeneity of regional cerebral glucose metabolism demonstrated in situ by ¹⁹F FDG NMR rotating frame zeugmatography: One dimensional chemical shift imaging of normal and gliosarcoma implanted brain. *Magn Reson Imaging* **5**:259-266
31. 1987 Nakada T., Kwee I. L., Miyazaki T., Iriguchi N., and Maki T.: ³¹P in vivo spectroscopy of the stomach by zig-zag coil. *Magn Reson Med* **5**:449-455

32. 1988 Arasaki K., Nakada T., and Leong G.: AIDS dementia complex. Clin Neurosci **6**:48-51
33. 1988 Kwee I. L. and Nakada T.: Regional phospholipid profile of the human brain: ³¹P NMR spectroscopic study. Magn Reson Med **6**:296-299
34. 1988 Nakada T., Kwee I. L., Card P. J., Matwiyoff N. A., Griffey B. V., and Griffey R. H.: ¹⁹F NMR imaging of glucose metabolism. Magn Reson Med **6**:307-313
35. 1988 Nakada T., Kwee I. L., and Rao G. A.: Phospholipid profile of the developing brain: ³¹P NMR spectroscopic study in rat pups. Biochem Arch **4**:35-40
36. 1988 Nakada T. and Kwee I. L.: See-saw nystagmus: Role of visuo-vestibular interaction in its pathogenesis. J Clin Neuro-ophthalmol **8**:171-177
37. 1988 Nakada T., Kwee I. L., Griffey B. V., and Griffey R. H.: ¹⁹F NMR glucose metabolic imaging in rabbit. Radiology **168**:823-825
38. 1988 Arasaki K., Nakada T., and Leoung G. S.: Review: Neurological disorders associated with human immunodeficiency virus (HIV) infection. Neurol Med **28**:639-650
39. 1988 Nakada T., Kwee I. L., Griffey B. V., and Griffey R. H.: ¹⁹F 2-FDG NMR imaging of the brain in rat. Magn Reson Imaging **6**:633-635
40. 1989 Houkin K., Nakada T., Suzuki N., and Kwee I. L.: Cortical spectroscopy: Localized spectroscopy of the cerebral cortex in rats. Magn Reson Med **12**:364-368
41. 1989 Nakada T., Kwee I. L., Houkin K., and Suzuki N.: Intrauterine in vivo NMR spectroscopy of fetal brain: ¹H and ³¹P NMR studies in rats. Magn Reson Med **12**:172-180
42. 1989 Kwee I. L. and Nakada T.: In vivo pharmacokinetics of aldose reductase inhibitors: 3-FDG NMR studies in rat brain. NMR Biomed **2**:44-46
43. 1989 Houkin K., Nakada T., Suzuki N., and Kwee I. L.: ³¹P magnetic resonance spectroscopy of chronic infarction in rats. NMR Biomed **2**:83-86
44. 1989 Nakada T. and Kwee I. L.: One dimensional chemical shift imaging of fluorinated neuroleptics in rat brain in vivo by ¹⁹F NMR rotating frame zeugmatography. Magn Reson Imaging **7**:543-549
45. 1989 Nakada T.: Biomedical NMR spectroscopy: Past, present and future. Med Imaging Tech **7**:115-125
46. 1989 Nakada T. and Kwee I. L.: Sorbitol accumulation in heart: Implication for diabetic cardiomyopathy. Life Sci **25**:2491-2493
47. 1990 Nakada T., Kwee I. L., Reich B. S., Dorsey D. M., and Edelstein H.: Radiology of AIDS. J Med Imagings **10**:594-603

48. 1990 Nakada T.: Magnetic resonance spectroscopy in the study of brain metabolism: New horizon for clinical neurology. *Hospimedica* **8**:51-55
49. 1990 Houkin K., Kwee I. L., and Nakada T.: Persistent high lactate, the most sensitive NMR spectroscopic indicator of completed infarction. *J Neurosurg* **72**:763-766
50. 1990 Nakada T., Kwee I. L., and Ellis W. G.: Membrane fatty acid composition shows $\Delta 6$ -desaturase abnormalities in Alzheimer's disease. *NeuroReport* **1**:153-155
51. 1991 Nakada T., Houkin K., Hida K., and Kwee I. L.: Rebound alkalosis and persistent lactate: Multinuclear (^1H , ^{13}C , ^{31}P) NMR spectroscopic study. *Magn Reson Med* **18**:9-14
52. 1991 Kwee I. L., Nakada T., and Suzuki N.: ^{31}P and 3-FDG ^{19}F NMR spectroscopy of aged brain in rats. *NMR Biomed* **4**:38-40
53. 1991 Suzuki N., Kwee I. L., and Nakada T.: ^{31}P nuclear magnetic resonance spectroscopy of 9L gliosarcoma cell line: Differential effects of thermotherapy in spheroid and anchored culture. *Magn Reson Med* **19**:422-428
54. 1991 Kwee I. L., Nakada T., and Ellis W. G.: Elevation in relative levels of brain membrane unsaturated fatty acids in Alzheimer's disease: High resolution proton spectroscopic studies of membrane lipid extracts. *Magn Reson Med* **21**:49-54
55. 1991 Hida K., Suzuki N., Kwee I. L., and Nakada T.: pH-lactate dissociation in neonatal anoxia: proton and ^{31}P NMR spectroscopic studies in rat pups. *Magn Reson Med* **22**:128-132
56. 1991 Nakada T., Hida K., and Kwee I. L.: pH-lactate dissociation during anoxic insult: Taurine effect. *NeuroReport* **2**:325-328
57. 1991 Nakada T. and Kwee I. L.: Maturation changes in intracellular high energy phosphate diffusivity in rat brain. *NeuroReport* **2**:777-780
58. 1992 Hida K., Kwee I. L., and Nakada T.: In vivo ^1H and ^{31}P NMR spectroscopy of the developing rat brain. *Magn Reson Med* **23**:31-36
59. 1992 Suzuki N., Kwee I. L., and Nakada T.: Brain maturation and response to anoxia: ^{31}P NMR spectroscopic studies in rat pups. *Magn Reson Med* **24**:205-211
60. 1992 Fletcher T. S., Kwee I. L., Nakada T., Largman C., and Martin B. M.: DNA sequence of the yeast transketolase gene. *Biochemistry* **31**:1892-1896
61. 1992 Hida K., Kwee I. L., and Nakada T.: T_1 values of phosphomonoester and phosphocreatine of the brain show no significant change during development. *Magn Reson Med* **27**:179-182

62. 1992 Nakada T. and Kwee I. L.: Role of visuo-vestibular interaction in pathological ocular oscillation: New model and control system analysis. *Med Hypotheses* **38**:261-269
63. 1992 Nakada T.: Investigational methodologies for the effects of brain maturation on cellular energy transport. *Keio J Med* **41**:64-67
64. 1992 Nakada T., Hida K., and Kwee I. L.: Brain pH and lactic acidosis: Quantitative analysis of taurine effect. *Neurosci Res* **15**:115-123
65. 1993 Nakada T. and Kwee I. L.: ³¹P Localized spectroscopy of fetal brain in utero. *Magn Reson Med* **29**:122-124
66. 1993 Nakada T. and Kwee I. L.: In vivo kinetic analysis of glucose metabolism in the aldose reductase sorbitol pathway in rat testis: 3-FDG NMR spectroscopy and metabolic imaging. *Magn Reson Med* **29**:543-545
67. 1993 Matsuzawa H., Abe H., Saito H., and Nakada T.: Flow measurement. *Nichidoku Iho* **37**:42-51
68. 1993 Nakada T. and Kwee I. L.: Guanidinoethane sulfate: Brain pH alkaline shifter. *NeuroReport* **4**:1035-1038
69. 1994 Kamada K., Houkin K., Hida K., Matsuzawa H., Iwasaki Y, Abe H., and Nakada T.: Localized proton spectroscopy of focal brain pathology in human: Significant effects of edema on spin-spin relaxation time. *Magn Reson Med* **31**:537-540
70. 1994 Nakada T., Kwee I. L., and Igarashi H.: Brain maturation and high energy phosphate diffusivity: Alteration in cytosolic microenvironment and effective viscosity. *Dev Brain Res* **80**:121-126
71. 1994 Nakada T., Matsuzawa H., and Kwee I. L.: Magnetic resonance axonography of the rat spinal cord. *NeuroReport* **5**:2053-2056
72. 1995 Igarashi H., Kwee I. L., and Nakada T.: Guanidinoethane sulfate is neuroprotective toward delayed CA₁ neuronal death in gerbil. *Life Sci* **56**:1201-1206
73. 1995 Nakada T.: Diffusion tensor and diffusion weighted imaging: Pictorial mathematics. *Jap J Magn Reson Med* **15**:133-144
74. 1995 Nakada T. and Matsuzawa H.: Three dimensional anisotropy contrast magnetic resonance imaging of the rat nervous system: MR axonography *Neurosci Res* **22**:389-398
75. 1995 Matsuzawa H., Kwee I. L., and Nakada T.: Magnetic resonance axonography of the rat spinal cord: Postmortem effects. *J Neurosurg* **83**:1023-1028
76. 1996 Nakada T. and Kwee I. L.: "CT negative" acute thalamic hematoma. *J Neuroimag* **6**:119-122

77. 1996 Matsuzawa H. and Nakada T.: Modified van Vaals-Bergman coaxial cable coil (lambda coil) for high field imaging. *MAGMA* **4**:3-6
78. 1996 Kwee I. L., Igarashi H., and Nakada T.: Aldose reductase and sorbitol dehydrogenase activities in diabetic brain: In vivo kinetic studies by ¹⁹F 3-FDG NMR in rats. *NeuroReport* **7**:726-728
79. 1997 Nakada T.: High-field (3.0T) MR system and its clinical experience. *Innervision* **11**:52-54
80. 1997 Nakada T.: Analysis of higher function deficit by magnetic resonance imaging. *Clin Neuroscience* **15**: 761-763, 1997
81. 1997 Nakada T.: Neuroscience of music. *Jap Scientific Monthly* **50**: 810-814
82. 1997 Nakada T.: fMRI in Epilepsy. *J Clin Exp Med* **183**:71-73
83. 1997 Nakada T.: High-field (3.0T) MR system: Advantages in functional analysis. *Nippon Rinsho* **55**:1628-1632
84. 1997 Nakada T.: Principles of functional MRI. *Jap J Anesthesiol* **46**: S196-199
85. 1997 Nakada T.: High-field MRI of the brain. *Medicina* **34**:351-354
86. 1997 Nakada T.: Magnetic resonance axonography (MRX) *Nichidoku Iho* **42**:255-263
87. 1997 Matsuzawa H. Saito H. Abe H. Nakada T.: Magnetic resonance axonography by diffusion weighted echo planar imaging. *Jap J Clin Med* **55**:1748-51
88. 1998 Nakada T.: History of MRI. *Bioengineering News* **25**:3-5
89. 1998 Nakada T.: Functional MRI of music. *Seitai No Kagaku* **49**:32-39
90. 1998 Nakada T.: Principle of functional MRI. *J Clin Exp Med* **184**:619-624
91. 1998 Nakada T.: Analysis of spinal cord by magnetic resonance axonography. *Kotsu Kansetsu Jintai* **11**:53-56
92. 1998 Fujii Y., Nakayama N., and Nakada T.: : High-resolution T₂ reversed magnetic resonance imaging on high magnetic field system. *J Neurosurg* **89**: 492-495
93. 1998 Knight R. T. and Nakada T.: Cortico-limbic circuits and novelty: a review of EEG and blood flow data. *Rev Neurosci* **9**:57-70
94. 1998 Nakada T.: Principles of MR formalism. *Jap J Magn Reson Med* **18**:189-203
95. 1998 Nakada T., Fujii Y., Suzuki K., and Kwee I. L.: High-field (3.0T) functional MRI sequential epoch analysis: An example for motor control analysis. *Neurosci Res* **32**:355-362.
96. 1998 Nakada T., Fujii Y., Suzuki K., and Kwee I. L.: "Musical Brain" revealed by high-field (3 tesla) functional MRI. *NeuroReport* **9**: 3853-3856.
97. 1998 Nakada T.: Methodologies in Neuroscience: Magnetic Resonance axonography (MRX). *Clin Neurosci* **16**: 732-733
98. 1998 Nakada T.: Recent development in axonal flow research: MR axonography *Brain and Nerve* **50**:712-118.

99. 1998 Nakada T.: Role of high-field system in neuroscience. *Brain Sci* **20**:278-282
100. 1998 Nakada T.: Principles of diffusion and perfusion imaging. *Jap J Magn Reson Med* **18**:340-348.
101. 1999 Nakada T.: Brain activation study by functional MRI. *Pharma Medica* **17**:27-32
102. 1999 Nakada T.: functional MRI. *Jap Med J* **3897**:137
103. 1999 Nakada T.: High-field, high-resolution MR imaging of the human indusium griseum. *AJNR* **20**:524-525.
104. 1999 Nakada T., Nakayama N., Fujii Y, and Kwee I. L: Clinical application of magnetic resonance axonography. *J Neurosurg* **90**:791-795
105. 1999 Nakada T.: MR analysis of brain function. *No To Hattatsu* **31**:212-216
106. 1999 Nakada T.: Musical function and fMRI. *Clinical Neuroscience* **17**:113
107. 1999 Nakada T.: Functional Analysis of the brain by MRI *Rehabilitation Med* **27**:249-254, 1999
108. 1999 Sasaki Y., Tsujii H. Murata H., Tanada S., Yoshikawa K., Aoki Y., Nakagawa K., and Nakada T.: New methods of radiotherapy. *Jpn J Cancer Clin* **45**:120-126, 1999
109. 1999 Nakada T.: Basic principles of fMRI. *J Physiol Soc Jpn* **61**:155-168, 1999
110. 1999 Nakada T.: New method in clinical imaging. *Spine and Spinal Cord* **12**: 623-627, 1999
111. 1999 Fujii Y. and Nakada T.: Functional recovery and brain reorganization. *Adv Neurol Sci* **43**: 552-560, 1999
112. 1999 Kwee I. L., Fujii Y., Matsuzawa H., and Nakada T.: Perceptual processing of stereopsis in human: High-field (3.0T) functional MRI study. *Neurology* **53**: 1599-1601, 1999
113. 1999 Ito K., Fujii Y., and Nakada T.: Parietal lobe-update. *Clin Neurosci* **12**:1357-1362, 1999
114. 2000 Nakada T., Suzuki K., Fujii Y., Matsuzawa H., and Kwee I. L.: Independent component-cross correlation-sequential epoch (ICS) analysis of high-field fMRI time series: direct visualization of dual representation of the primary motor cortex in human. *Neurosci Res* **37**:237-244, 2000
115. 2000 Yamakawa T., Ohkubo M., Hashiba M., Nakada T., Ito J.: MR imaging of the temporomandibular joint using a 3T system: A preliminary study. *Jap J Magn Reson Med* **20**:80-92, 2000
116. 2000 Nakada T.: Functional MRI: Its present and future. *Neurol Surg* **28**:403-410, 2000
117. 2000 Nakada T.: How the brain distinguishes favorite faces? *Clin Neurosci* **18**:486-487, 2000

118. 2000 Nakada T., Matsuzawa H., Okamoto K.: Current trends in Neurological MRI/MRA. *Neurol Med* **53**:219-226, 2000
119. 2000 Nakada T.: High-field functional MRI. *Clin Neurosci* **48**:1030-1033
120. 2000 Ohkubo M., Nakada T., Matsuzawa H., Matsuda G.: High-field human proton spectroscopy. *Innervision* **15**:8, 2000
121. 2000 Nakada T.: Functional imaging of the Brain. *J Jap Soc Mech Eng* **103**:18-22, 2000
122. 2000 Nakada T.: Brain functional and diffusion. *Jap J Cog Neurosci* **2**:164-166, 2000
123. 2001 Harada A, Fujii Y, Yoneoka Y, Takeuchi S, Tanaka R, Nakada T.: High-field magnetic resonance imaging in patients with moyamoya disease. *J Neurosurg* **94**:233-237, 2001
124. 2001 Grossman M, Nakada T.: Editorial: A Letter is a Letter is a Letter: Pure Alexia for Kana. *Neurology* **56**:699-700, 2001
125. 2001 Nakada T.: Functional imaging based on high-field system. *Brain and Nerve* **53**:133-138, 2001
126. 2001 Nakada T.: Mother Nature's constitution. *Bio Med Eng* **15**:7-10, 2001
127. 2001 Nakada T., Fujii Y., Yoneoka Y., Kwee I. L.: Planum temporale where spoken and written language meet. *European Neurol* **46**:121-125, 2001
128. 2001 Nakada T., Fujii Y., Kwee I. L.: Brain strategies for reading in the second language are determined by the first language. *Neurosci Res* **40**:351-358, 2001
129. 2001 Igarashi H., Kwee I. L., Nakada T., Katayama Y., Terashi A.: ¹H magnetic resonance spectroscopic imaging of permanent focal cerebral ischemia in rat:longitudinal metabolite changes in ischemic core and rim. *Brain Res* **907**:208-221, 2001
130. 2001 Itoh K., Fujii Y., Suzuki K., Nakada T.: Asymmetry of parietal lobe activation during piano performance: a high-field functional magnetic resonance imaging study. *Neurosci Let* **309**: 41-44, 2001
131. 2001 Nakada T.: MR functional analysis in brain disorders. *Brain Sci Ment Disor* **12**:101-104, 2001
132. 2001 Nakada T.: Music and right hemisphere. *Clinical Neurosci* **19**:425-429, 2001
133. 2001 Nakada T.: 3T MRI and stroke. *Current Therapy* **19**:597-600, 2001
134. 2001 Nakada T.: Advancement of MR Brain Functional Analysis. *Internal Med* **87**:1504-1509, 2001
135. 2001 Nakada T.: Clinical Utility of 3.0T MR system. *Jap J Magn Reson Med* **21**:161-169, 2001

136. 2001 Nakada T.: Human sensitivity: Approach from Neuroscience. *Science & Technology J* **10**:20-21, 2001
137. 2001 Nakada T.: MR functional analysis in brain disorders. *Brain Sci Mental Dis* **12**:101-104, 2001
138. 2001 Nakada T., Kitamura H.: What you can “see” with modern MRI: Structure and function. *Clin Psychiatry* **30**:915-918, 2001
139. 2001 Nakada T., Tasaka N: Human brain imaging in the upright position. *Neurology* **57**: 1720-1722, 2001
140. 2001 Yoneoka Y., Fujii Y., Nakada T.: Central Tinnitus. *ENT J* **80**:864-866, 2001
141. 2002 Nakada T.: MRI and auditory system. *Adv Neurol Sci* **46**:141-146, 2002
142. 2002 Nakada T.: What does “functional MRI” actually show? *Brain Circulation* **46**:141-146, 2002
143. 2002 Nakada T.: Event related functional MRI. *J Clin Exp Med* **200**:1011-1012, 2002
144. 2002 Nakada T.: Diffusion tensor analysis: Principles and applications. *Brain and Nerve* **54**:1290-297, 2002
145. 2002 Suzuki K., Kiryu T., Nakada T.: Fast and precise independent component analysis for high field fMRI time series tailored using prior information on spatiotemporal structure. *Human Brain Map* **15**: 54-66, 2002
146. 2002 Ahrens E. T., Narashmhan P. T., Nakada T., Jacobs R. E.: Small animal neuro-imaging using magnetic resonance microscopy. *Progress in NMR Spectroscopy* **40**:275-306, 2002.
147. 2002 Terajima K., Nakada T.: EZ-Tracing: A new ready-to-use algorithm for magnetic resonance tractography. *J Neurosci Method* **116**:147-155, 2002.
148. 2002 Yoneoka Y., Kwee I. L., Fujii Y., Nakada T.: Criteria for normalcy of cavities observed within the adult hippocampus: high-resolution MRI study on a 3.0 Tesla system. *J Neuroimg* **12**:231-235, 2002.
149. 2002 Nakada T.: Time to jettison extreme localizationism. *Neurosci Res* **43**:91-92, 2002
150. 2002 Yoneoka Y., Fujii Y., Takahashi H., Nakada T.: Pre-operative histopathological evaluation of meningiomas by 3.0T T2R MRI. *Acta Neurochirurgica* **144**:953-7, 2002.
151. 2002 Ohkubo M., Kimura T., Matsuzawa H., Matsuda T., Kwee I. L., Nakada T.: Evaluation of Efficacy of an automated single-voxel proton MRS algorithm on a 3T System. *Magn Reson Med Sci* **1**: 121-124, 2002
152. 2002 Nakada T.: Myths and truths in functional MRI: A basic guide for practitioners. *Magn Reson Med Sci* **1**:89-107, 2002

153. 2002 Kimura T., Sako K., Tanaka K., Kusakabe M., Tanaka T., Nakada T.: Effect of mild hypothermia on energy state recovery following transient forebrain ischemia in the gerbil. *Exp Brain Res* **145**: 83-90, 2002
154. 2002 Nakada T.: Functional MRI. *Brain and Nerve* **54**: 874-882, 2002
155. 2002 Huang K., Watanabe M., Fujii Y., Kwee I. L., Nakada T.: Gender difference in passive listening to stories: high-field fMRI study using multiple subject analysis based on individual activation maps. *Magn Reson Med Sci* **1**:165-168, 2002
156. 2002 Nakada T.: Fundamentals of human brain Function. *Niigata J Health Welfare* **2**:114-19, 2002
157. 2003 Nakada T.: Free convection schema defines the shape of the human brain: Brain and self-organization. *Med Hypotheses* **60**:159-164, 2003
158. 2003 Fujii Y., Nakada T.: Cortical reorganization in subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication. *J Neurosurg* **98**:64-73, 2003
159. 2003 Suzuki K., Matsuzawa H., Igarashi H., Watanabe M., Nakayama N., Kwee I. L., Nakada T.: Independent component Analysis of Dynamic Contrast Enhanced MRI Time Series: ϕ -MRA. *Magn Reson Med Sci* **2**:23-27, 2003
160. 2003 Nakada T.: Clinical Experience on 3.0T Systems in Niigata: 1996-2002. *Inv Radiol* **38**:377-384, 2003
161. 2003 Kwee I. L., Nakada T.: Dorsolateral prefrontal lobe activation declines significantly with age: functional NIRS study. *J Neurol* **250**:525-529, 2003
162. 2003 Nakada T., Itoh K.: Neural mechanism for music and amusia. *Clin Neurosci* **21**:796-798, 2003
163. 2003 Suzuki Y., Matsuzawa H., Nakada T.: Feasibility study of single region lambda chart analysis for pyramidal tract physiology. *J Neurol* **250**:1185-1189, 2003.
164. 2003 Suzuki Y., Matsuzawa H., Kwee I. L., Nakada T.: Absolute Eigenvalue Diffusion Tensor Analysis for Human Brain Maturation. *NMR Biomed* **16**:257-260, 2003.
165. 2003 Itoh K., Suwazono S., Nakada T.: Cortical Processing of Musical Consonance: an Evoked Potential Study. *Neuroreport* **14**:2303-2306, 2003.
166. 2003 Nakada T.: High-Field MRI *Med Physics* **23 (SUPP 4)**:1-11, 2003
167. 2003 Matsuzawa H., Nakada T.: Lambda chart and eigenvalue image. *Neurosurgery Report* **13**:1050-1053, 2003
168. 2003 Nakada T.: Brain as a complex system. *Molecular Psychiatry* **3**:269-275, 2003
169. 2003 Kimura T, Nakada T.: 3.0T proton MRS in Psychiatry. *Molecular Psychiatry* **3**:49-54, 2003

170. 2003 Itoh K., Miyazaki K., Nakada T.: Ear advantage and consonance of dichotic pitch intervals in absolute-pitch possessors. *Brain and Cognition* **53**:464-471, 2003.
171. 2004 Nakayama T., Fujii Y., Suzuki K., Kanazawa I., Nakada T.: The primary motor area for *voluntary* diaphragmatic motion identified by high field fMRI. *J Neurol* **251**:730-735, 2004.
172. 2004 Ohtake H., Shimohata T., Terajima K., Kimura T., Jo R., Kaseda R., Iizuka O., Takano M., Akaiwa Y., Goto H., Kobayashi H., Sugai T., Muratake T., Hosoki T., Shioiri T., Okamoto K., Onodera O., Tanaka K., Someya T., Nakada T., Tsuji S: **Adult-onset leukoencephalopathy with vanishing white matter associated with a missense mutation in EIF2B5.** *Neurology* **62**:1601-1603, 2004.
173. 2004 **Kimura T., Sako K., Tanaka K. Gotoh T., Yoshida H., Aburano T., Tanaka T., Arai H., Nakada T.: Evaluation of the response of metastatic brain tumors to stereotactic radiosurgery as shown on images generated by proton magnetic resonance spectroscopy, ²¹⁰TlCI single-photon emission computed tomography, and gadolinium-enhanced magnetic resonance imaging. *J Neurosurg* **100**:835-841, 2004.**
174. 2004 Izumi S., Nakada T.: MRI and auditory system. *Advances in Neurological Sciences* **48**:234-238, 2004.
175. 2004 Nakada T., Fujii Y., Kwee I. L.: Coerced training of the non-dominant hand results in cortical re-organization: High-field fMRI study. *J Neurosurg* **101**:310-313, 2004.
176. 2004 Huang K., Itoh K., Suwazono S., Nakada T.: Electrophysiological correlates of grapheme-phoneme conversion. *Neurosci Lett* **366**:254-258, 2004.
177. 2004 Nakada T.: Brain Chip: A Hypothesis. *Magn Resonance Med Sci* **3**:51-63, 2004.
178. 2004 Itoh K., Suwazono S., Arao H., Miyazaki K., Nakada T.: Electrophysiological correlates of absolute pitch and relative pitch. *Cerebral Cortex* **15**:760-769, 2005.
179. 2005 Morita K., Matsuzawa H., Fujii Y., Tanaka R., Kwee I. L., Nakada T.: Diffusion tensor analysis of peritumoral edema using lambda chart analysis suggests heterogeneity of microstructure within edema. *J Neurosurg* **102**:336-41, 2005.
180. 2005 Kitamura H., Matsuzawa H., Shioiri T., Someya T., Kwee I. L., Nakada T.: Diffusion Tensor Analysis in Chronic Schizophrenia: A Preliminary Study on a High-field (3.0T) System. *Euro Arch Psychiatr Clin Neurosci* **255**:313-318, 2005.

181. 2005 Nakada T., Kwee I. L., Fujii Y., Knight R. T: High-field, T2 reversed MR imaging of the hippocampus in transient global amnesia. *Neurology* **64**: 1170-1174, 2005.
182. 2005 Matsuzawa H., Nakayama N., Kwee I. L., Nakada T.: Isotropic component trace analysis. *J Neuroimaging* **15**:233-239, 2005.
183. 2005 Nakada T.: Event-Related fMRI. *Medical Forum Chugai* **9**:28-29, 2005.
184. 2005 Nakada T.: Neuroimaging Update. *J Jap Soc Int Med* **94**:11172-1182, 2005.
185. 2005 Kimura T., Nakada T.: Psychiatric application of MRS. *Rinsho Kensa* **48**:1647-1653, 2005
186. 2005 Nakada T., Fujii Y., Matauzawa H.: Ultra-highfield MRI. *Molecular Cerebrovascular Med.* **7**:273-276, 2005
187. 2005 Nakada T.: Brain fundamentals and functional imaging. *Kitano Hospital Review* **47**:25-33,2005
188. 2005 Itoh K., Fujii Y., Kwee I. L., Nakada T.: MT+/V5 activation without conscious motion perception: a High-field fMRI study. *Magn Resonance Med Sci* **4**:69-74, 2005
189. 2005 Nakada T., Nabetani A., Kabasawa H., Nozaki A., Matsuzawa H.: The passage to human MR microscopy: A progress report from Niigata on April 2005. *Magn Resonance Med Sci* **4**:83-87, 2005.
190. 2005 Nakada T.: High-Field MRI. *Nihon Rinsho***63**:216-221, 2005.
191. 2005 Nakada T.: Clinical impact of ultra high-field MRI. *Nichidoku-iho* **50**:466-478, 2005.
192. 2006 Nakada T., Matsuzawa H., Fujii Y., Takahashi H., Nishizawa M., Kwee I. L.: Three dimensional anisotropy contrast periodically rotated overlapping parallel lines with enhanced reconstruction (3DAC PROPELLER) on a 3.0T system: A new modality for routine clinical neuroimaging. *J Neuroimaging* **16**:206-211, 2006.
193. 2006 Yamada K., Matsuzawa H., Uchiyama M., Kwee I. L., Nakada T.: Brain developmental abnormalities in Prader-Willi syndrome detected by diffusion tensor imaging. *Pediatrics* **118**:e442-8, 2006.
194. 2006 Terumitsu M., Fujii Y., Suzuki K., Kwee I. L., Nakada T.: Human primary motor cortex shows hemispheric specialization for speech. *NeuroReport* **17**:1091-1095, 2006.
195. 2006 Ueki S., Fujii Y., Matsuzawa H., Takagi M., Abe H., Kwee I. L., Nakada T.: Assessment of axonal degeneration along the human visual pathway using diffusion trace analysis. *Am J Ophthalmol* **142**:591-596, 2006.
196. 2006 Kitamura H., Shioiri T., Kimura T., Ohkubo M., Nakada T., Someya T: Parietal white matter abnormalities in obsessive-compulsive disorder: a

- magnetic resonance spectroscopy study at 3-Tesla. *Acta Psychiatr Scand* **114**:101-108, 2006.
197. 2006 Nakada T.: Inheritance of the mind. *Mind Culture* **2**:147-153, 2006.
 198. 2006 Nakada T.: Brain science of water molecules. *Jap J Gerontol* **43**:554-559, 2006.
 199. 2006 Brain as a complex system. *Health Sci Child* **7**:11-13, 2006
 200. 2006 Nakada T.: functional MRI. A. Fundamentals. *Neurol Med* **65**:520-528, 2006
 201. 2006 Nakada T.: functional MRI. B. Clinical application. *Neurol Med* **65**:520-528, 2006
 202. 2006 Terajima K., Nishizawa M., Nakada T.: Diffusion tensor imaging: Principles and neurological applications. *Neurological Medicine* **65**:145-152, 2006
 203. 2007 Nakada T.: Clinical application of high and ultra high field MRI. *Brain Dev* **29**: 325-335, 2007.
 204. 2007 Kimura T., Ohkubo M., Igarashi H., Kwee I. L., Nakada T.: Increase in glutamate as a sensitive indicator of extracellular matrix integrity in peritumoral edema: 1H-MRS study on a 3.0T system. *J Neurosurg* **106**: 609-613, 2007.
 205. 2007 Huber V. J., Tsujita M., Yamazaki M., Sakimura K., Nakada T.: Identification of arylsulfonamides as aquaporin 4 inhibitors. *Bioorg Med Chem Lett* **17**:1270-1273, 2007.
 206. 2007 Kobayashi N., Itoh K., Suzuki K, Kwee I. L., Nakada T.: Natural preference in luminosity for frame composition. *NeuroReport* **18**:1137-1140, 2007
 207. 2007 Tanaka K., Tani T, Tanaka M., Saida T., Idezuka J., Yamazaki M., Tsujita M., Nakada T., Sakimura K., Nishizawa M.: Anti-aquaporin 4 antibody in selected Japanese multiple sclerosis patients with long spinal cord lesions. *Mult Scler.* **13**: 850-855, 2007.
 208. 2007 Terajima K., Matsuzawa H., Tanaka K., Nishizawa M., Nakada T.: Cell-Oriented analysis *in vivo* using diffusion tensor imaging for normal-appearing brain tissue in multiple sclerosis. *NeuroImage* **37**:1278-1285, 2007
 209. 2007 Nakada T.: Self-organizing US Medicine. *Trends in the Science* **5**:52-56, 2007
 210. 2008 Yoneoka Y, Watanabe N, Tsumanuma I, Matsuzawa H, Watanabe M, Nakada T., Fujii Y. Preoperative depiction of cavernous sinus invasion by pituitary macroadenoma using three-dimensional anisotropy contrast (3DAC) periodically rotated overlapping parallel lines with enhanced reconstruction (PROPELLER) on a 3.0T system. *J Neurosurg* **108**:37-41, 2008
 211. 2008 Nakada T., Matsuzawa H., Igarashi H., Fujii Y., Kwee I. L.: *In vivo* visualization of senile plaque like pathology in Alzheimer's Disease patients by MR microscopy on a 7T system. *J Neuroimag* **18**:125-129, 2008.

212. 2008 Terajima K., Igarashi H., Hirose M., Matsuzawa H., Nishizawa M., Nakada T.: Serial assessments of delayed encephalopathy after carbon monoxide poisoning using magnetic resonance spectroscopy and diffusion tensor imaging on 3.0T system. *Eur Neurol* **59**:55-61, 2008.
213. 2008 Nakada T., Matsuzawa H., Kwee I. L.: High Resolution Imaging with High and Ultra-High-Field MRI Systems. *NeuroReport* **19**:7-13, 2008
214. 2008 Yoneoka Y., Watanabe N., Nishino K., Ito Y., Kwee I. L., Nakada T., Fujii Y.: Evaluation of post-procedure changes in aneurysmal lumen following detachable coil-placement using multi-planar reconstruction of high-field (3.0T) magnetic resonance angiography. *Acta Neurochir* **150**:351-358, 2008.
215. 2008 Itoh K., Kitamura H., Fujii Y., Nakada T.: Neural substrates for visual pattern recognition learning in Igo. *Brain Res* **1227**:162-173, 2008.
216. 2008 Huber, V. J., Nakada, T.: Aquaporin 4 as a therapeutic target: A first look. *Drugs Future* **33**:897-909, 2008.
217. 2008 Fujii Y., Nakada T.: Advancement of neural imaging and preoperative diagnosis. *Neurosurg J* **17**:102-106, 2008
218. 2009 Huber V. J., Tsujita M., Nakada T.: Identification of aquaporin 4 inhibitors using *in vitro* and *in silico* methods. *Bioorg Medic Chem* **17**:411-417, 2009.
219. 2009 Huber V. J., Tsujita M., Kwee I. L., Nakada T.: Inhibition of aquaporin 4 by antiepileptic drugs. *Bioorg Medic Chem* **17**:418-424, 2009.
220. 2009 Terajima K., Matsuzawa H., Shimohata T., Akazawa K., Nishizawa M., Nakada T.: Tract by tract morphometric and diffusivity analyses in vivo of spinocerebellar degeneration. *J Neuroimag* **19**:220-6, 2009.
220. 2009 Terumitsu M., Ikeda K., Kwee I. L., Nakada T.: Participation of primary motor cortex area 4a in complex sensory processing: 3T fMRI study. *NeuroReport* **20**:679-683, 2009.
221. 2009 Kitaura H., Tsujita M., Huber V. J., Kakita A., Shibuki K., Sakimura K., Kwee I. L., Nakada T.: Activity dependent glial swelling is impaired in aquaporin-4 knockout mice. *Neurosci Res* **64**:208-2121, 2009.
222. 2009 Tani T., Sakimura K., Tsujita M., Nakada T., Tanaka M., Nishizawa M., Tanaka K.: Identification of binding sites for anti-aquaporin 4 antibodies in patients with neuromyelitis optica. *J Neuroimmunol* doi: 10.1016/j.jneuroim.2009.04.001, 2009
223. 2009 Nakada T., Suzuki Y.: Parietal lobe imaging. *Clinical Neuroscience* **27**:386-388, 2009.
224. 2009 Nakada T.: Neuroscience of water molecules: A salute to Professor Linus Carl Pauling. *Cytotechnol* **59**:145-152, 2009.

225. 2009 Nakada T.: MRI microscopy and its clinical application. Res Papers of the Suzuken Memorial Foundation 28:28-30, 2009
226. 2010 Nakada T.: Conversion of brain cytosol profile from fetal to adult type during the perinatal period: Taurine-NAA exchange. Proc. Jpn Acad, Ser B **86**:630-642, 2010.
227. 2010 Igarashi H., Huber V. J., Tsujita M., Nakada T.: Pretreatment with a novel aquaporin 4 inhibitor, TGN-020, significantly reduces ischemic cerebral edema. Neurol Sci **32**:113-116, 2010.
228. 2010 Itoh K., Suwazono S., Nakada T.: Central auditory processing of noncontextual consonance in music: an evoked potential study. J Acoust Soc Am. **128**:3781-3787, 2010.
229. 2010 Suzuki K., Igarashi H., Watanabe M., Nakamura Y., Nakada T.: Separation of perfusion signals from diffusion-weighted image series enabled by independent component analysis. J Neuroimaging 21:384-394, 2011.
230. 2011 Kanazawa M., Kakita A., Igarashi H., Takahashi T., Kawamura K., Takahashi H., Nakada T., Nishizawa M., Shimohata T.: Biochemical and histopathological alterations in TAR DNA-binding protein-43 after acute ischemic stroke in rats. J Neurochem **116**:957-965, 2011.
231. 2011 Terumitsu M., Seo K., Matsuzawa H., Yamazaki M., Kwee I. L., Nakada T.: Morphological Evaluation of the Inferior Alveolar Nerve in Patients with Sensory Disorders by High-Resolution 3D Volume Rendering MR Neurography on a 3.0T System. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology **111**:95-102, 2011.
232. 2011 Nishikawa T., Matsuzawa H., Terumitsu M., Okamoto K., Nakada T., Fujii Y.: Visualization of the brain stem pathways by 3DAC PROPELLER. Clinical Neuroscience **28**:106-107, 2010.
233. 2011 Takado Y., Igarashi H., Terajima K., Shimohata T., Ozawa T., Okamoto K., Nishizawa M., Nakada T.: Brainstem metabolites in multiple system atrophy of cerebellar type: 3.0-T magnetic resonance spectroscopy study. Mov Disor **26**:1297-1302, 2011.
234. 2011 Nakada T.: Brain science of the mind. Soc Sci Info **50**:25-38, 2011.
235. 2011 Kanazawa M., Igarashi H., Takahashi T., Kakita A., Takahashi H., Nakada T., Nishizawa M., Shimohata T.: Inhibition of VEGF signaling pathway attenuates hemorrhage after tPA treatment. J Cereb Blood Flow Metab **31**:1461-1474, 2011.
236. 2011 Nakada T.: Consciousness. Anesthesia Network **15**:19-24, 2011.
236. 2011 Izumi S., Itoh K., Matsuzawa H., Takahashi S., Kwee I. L., Nakada T.: Functional asymmetry in primary auditory cortex for processing musical

- sounds: temporal pattern analysis of fMRI time series. *NeuroReport* **22**:470-473, 2011.
237. 2011 Shimohata T., Kanazawa M., Kakita A., Igarashi H., Takahashi T., Kawamura K., Takahashi H., Nakada T., Nishizawa M.: Analyses of biochemical and histopathological alterations in TAR DNA binding protein-43 after acute ischemic stroke. *Brain Circ Metabol* **22**:40-45, 2011.
238. 2011 Urakawa T., Matsuzawa H., Suzuki Y., Endo N., Kwee I. L., Nakada T.: Analysis of ascending spinal tract degeneration in cervical spondylotic myelopathy using three-dimensional anisotropy contrast (3DAC) single shot echo-planar imaging (EPI) on a 3.0T system. *J Neurosurg Spine* **15**:648–653, 2011.
- 239 2011 Nakada T.: Alzheimer's disease: What you really have to do. **18**:43-46, 2011.
- 240 2011 Nakada T.: Ultrahigh-field (7T) MRI and Alzheimer's disease. *Dementia Jap* **25**:47-51, 2011.
241. 2011 Nakamura Y., Suzuki Y., Tsujita M., Huber V. J., Yamada K., Nakada T.: Development of a novel ligand, [11C]TGN-020, for aquaporin-4 PET imaging. *ACS Chem Neurosci* **2**:568-571, 2011.
242. 2011 Yen Y-F., Ngasawa K., Nakada T.: Promising application of dynamic nuclear polarization for *in vivo* ¹³C MR imaging. *Magn Reson Med Sci* **10**:211-217, 2011.
243. 2011 Nagasawa K., Nakada T.: ¹³C MR spectroscopy and dynamic nuclear polarization. *Nichidoku-Iho* **56**:30-38, 2011.
- 244 2012 Nakada T., Matsuzawa H., Igarashi H., Kwee I. L.: Expansion of corticomedullary junction high susceptibility region (CMJ-HSR) with aging: A clue in the pathogenesis of Alzheimer's disease? *J Neuroimag* **22**:379-83, 2012.
245. 2012 Tateuchi T., Itoh K., Nakada T.: Neural mechanisms underlying the orienting response to subject's own name: an event related potential study. *Psychophysiology* **49**:786-791, 2012.
246. 2012 Huber V. J., Tsujita M., Nakada T.: Aquaporins in drug discovery and pharmacotherapy. *Molecular Aspects of Med* **33**: 691-703, 2012.
247. 2012 Huang K., Itoh K., Kwee I. L., Nakada T.: Neural strategies for reading Japanese and Chinese sentences: a cross-linguistic fMRI study of character-decoding and morphosyntax. *Neuropsychologia* **50**:2598-2604, 2012.
248. 2012 Itoh K., Okumiya Y., Kanke Y., Yoh Nakayama Y., Kwee I. L., Nakada T.: Effects of musical training on the early auditory cortical representation of pitch transitions as indexed by change-N1. *Eur J Neurosci* **36**:3580–3592, 2012.

249. 2013 Suzuki Y., Nakamura N., Yamada K., Huber V. J., Mika Tsujita M, Nakada T.: Aquaporin-4 Positron Emission Tomography Imaging of the Human Brain: First Report. *J Neuroimaging* **23**:219-23, 2013.
250. 2013 Igarashi H., Tsujita M.¹, Suzuki Y., Kwee I. L., Nakada T.: Inhibition of aquaporin-4 significantly increases regional cerebral blood flow. *NeuroReport* **24**:324-328, 2013.
251. 2013 Itoh K., Nakada T.: Human brain detects short-time nonlinear predictability in the temporal fine structure of deterministic chaotic sounds. *Physical Review E* **87**:042916-1-6, 2013.
256. 2013 Haruki H., Sano Y., Shimizu F., Omoto M., Tasaki A., Oishi M., Koga M., Saito K., Takahashi T., Nakada T., Kanda T.: NMO sera down-regulate AQP4 in human astrocyte and induce cytotoxicity independent of complement. *J Neurol Sci* **331**:136-144, 2013.
257. 2013 Uemura M., Akaiwa Y., Toriyabe M., Mashima T., Terajima K., Shimohata T., Igarashi H., Nakada T., Nishizawa M.: Spontaneous middle cerebral artery dissection demonstrated by high-resolution T1-weighted 3D image. *Cerebrovasc Dis* **36**:243-244, 2013.
258. 2014 Igarashi H., Tsujita M., Kwee I. L., Nakada T.: Water influx into cerebrospinal fluid (CSF) is primarily controlled by aquaporin-4, not by aquaporin-1: O-17 JJVCPE MRI study in knockout mice. *NeuroReport* **25**: 39-43, 2014.
259. 2014 Suzuki K., Igarashi H., Huber V. J., Kitaura H., Kwee I. L., Nakada T.: Ligand based molecular MRI: O-17 JJVCPE amyloid imaging in transgenic mice. *J Neuroimaging* **24**:595-598, 2014.
260. 2014 Kawamura K., Takahashi T., Kanazawa M., Igarashi H., Nakada T., Nishizawa M, Shimohata T: Effects of angiotensin-1 on hemorrhagic transformation and cerebral edema after tissue plasminogen activator treatment for ischemic stroke in rats. *PLOS One* **9**:e98639, 2014
261. 2014 Igarashi H., Suzuki Y., Kwee I. L., Nakada T.: Water influx into cerebrospinal fluid is significantly reduced in senile plaque bearing transgenic mice, supporting β -amyloid clearance hypothesis of Alzheimer disease. *Neurological Res* **36**:1094-1098, 2014.
262. 2014 Nakada T.: Virchow-Robin space and aquaporin-4: new insights on an old friend. *Coat Med J* **55**:328-336 , 2014
263. 2014 Natsumeda M., Igarashi H., Nomura T., Ogura R., Tsukamoto Y., Kobayashi T., Aoki H., Okamoto K., Kakita A., Takahashi T., Nakada T., Fujii Y.: Accumulation of 2-hydroxyglutarate in gliomas correlates with survival: a study by 3.0-tesla magnetic resonance spectroscopy. *Acta Neuropathol Comm* **2**:158, 2014.

264. 2014 Nishikawa T., Okamoto K., Matsuzawa H., Terumitsu M., Nakada T., Fujii Y.: Detectability of neural tracts and nuclei in the brain stem utilizing 3DAC-PROPELLER. *J Neuroimag* **24**:238-244, 2014
265. 2014 Kurabe S., Itoh K., Matsuzawa H., Nakada T., Fujii Y.: Expansion of sensorimotor cortical activation for unilateral hand motion during contralateral hand deafferentation. *Neuroreport* **25**:435-439, 2014.
266. 2015 Nakada T.: The molecular mechanisms of neural flow coupling: A new concept. *J Neuroimg* **25**:861-865, 2015.
267. 2015 Takado Y., Terajima K., Ohkubo M., Okamoto K., Shimohata T., Nishizawa M., Igarashi H., Nakada T.: Diffuse brain abnormalities in myotonic dystrophy type 1 detected by 3.0 T proton magnetic resonance spectroscopy. *Euro Neurol* **73**:247-256, 2015.
268. 2015 Igarashi H., Suzuki Y., Huber V. J., Ida M., Nakada T.: N-acetylaspartate decrease in acute stage of ischemic stroke: A perspective from experimental and clinical studies. *Magn Reson Med Sci* **14**:13-24, 2015.
269. 2015 Kanazawa M., Kawamura K., Takahashi T., Miura M., Tanaka Y., Koyama M., Toriyabe M., Igarashi H., Nakada T., Nishihara M., Nishizawa M., Shimohata T.: Multiple therapeutic effects of progranulin on experimental acute ischemic stroke. *Brain* doi: 10.1093/awv079.
270. 2015 Ebe K., Itoh K., Kwee I. L., Nakada T.: Covert effects of "one drink" of alcohol on brain processes related to car driving: an event-related potential study. *Neuroscience Letters* **593**:78-82, 2015.
271. 2015 Suzuki Y., Nakamura Y., Yamada K., Igarashi H., Kasuga K., Yokoyama Y., Ikeuchi T., Nishizawa M., Kwee I. L., Nakada T.: Reduced CSF water influx in Alzheimer's disease supporting the β -amyloid clearance hypothesis. *PLoS ONE* **10**: e0123708. doi:10.1371/journal.pone.0123708, 2015
272. 2015 Tateuchi T., Itoh K., Nakada T.: Further characterization of "subject's own name (SON) negativity, an ERP component reflecting early preattentive detection of SON. *BMC Res Notes* **8**:195, 2015.
273. 2015 Ikeda T., Takahashi T., Igarashi H., Kanazawa M., Itoh K., Nakada T., Nishizawa M., Shimohata T.: Effects of Alda-1, an aldehyde dehydrogenase-2 agonist, on hypoglycemic neuronal death. *PLoS ONE* **10**:e0128844.doi:10.1371/journal.pone.0128844.
274. 2015 Itoh K., Nejime M., Konoike N., Nakada T., Nakamura K.: Non-invasive scalp recording of cortical auditory evoked potentials in the alert macaque monkey. *Hearing Research* **327**:117-125, 2015.

275. 2015 Nakada K., Suzuki K., Nakada T.: Single to two cluster state transition of primary motor cortex 4-posterior (MI-4p) activities in humans. *Entropy* **17**: 7596-7607, 2015.
276. 2015 Terumitsu M., Seo K., Matsuzawa H., Inada Y., Nakamura T., Shigeno K., Watnabe M., Suzuki K., Nakada T.: Evaluation of prognosis for regeneration of the disordered trigeminal nerve on PGA-C tube and in situ tissue engineering, utilizing high-resolution MRI. *Peripheral Nerve* **26**: 71-79, 2015.
277. 2015 Ito K., Nakada T.: Neural substrates of music. *Clin Neurosci* **33**:939-941, 2015
278. 2015 Matsuzawa H., Fujii Y., Nakada T.: MRI characteristics of high field MRI. *Clin Neurosci* **33**:1104-1107, 2015
277. 2016 Uemura M., Tsukamoto Y., Akaiwa Y., Watanabe M., Tazawa A., Kasahara S., Endou M., Ogura R., Okamoto K., Fujii Y., Nakada T., Kakita A., Nishizawa M.: Cerebral venous sinus thrombosis due to oral contraceptive use: Postmortem 3T-MRI and autopsy findings. *Human Pathology* **6**: 32-36, 2016.
278. 2016 Nakada T.: Ligand based MRI molecular imaging-JJVCPE. *Clin Neurosci* **34**:664-667, 2016
279. 2016 Kurabe S., Okamoto K., · Suzuki K., · Matsuzawa H., · Watanabe M., · Suzuki Y., · Nakada T., · Fujii Y.: The posterior limb of the internal capsule as the subcortical transitional zone of the anterior and posterior circulations: Insights from human 7T MRI. *Cerebrovasc Dis* **41**:256-264, 2016
280. 2016 Suzuki Y, Igarashi H., Nakada T: Aquaporin PET. *Clinical Neurosci* **34**:1394-1395, 2016
281. 2017 Uemura M., Terajima K., Suzuki Y., Watanabe M., Akaiwa Y., Okamoto K., Nishizawa M., Igarashi H., Nakada T.: Visualization of the intimal flap in intracranial arterial dissection using high-resolution 3T MRI. *J Neuroimaging* **27**:29-32, 2017.
282. 2017 Suzuki Y., Higuchi S., Izumi Aida I., Nakajima T., Nakada T.: Abnormal distribution of GABAA receptors in brain of Duchenne muscular dystrophy patients. *Muscle Nerve* **55**:591-595, 2017.
283. 2017 Takado Y., Terajima K., Shimohata T., Nakayama H., Watanabe M., Okamoto K., Ozawa T., Nishizawa M. Kwee I. L., Igarashi H., Nakada T.: Sleep apnea in multiple system atrophy of cerebellar type: A 3.0 T MRS/Volumetry Pilot Study. *eNeurologicalSci* **6**:6-8, 2017.
284. 2017 Shimizu M., Suzuki Y., Yamada K., Ueki S., Watanabe M., Igarashi H., Nakada T.: Maturation decrease of glutamate in the human cerebral cortex from childhood to young adulthood: a 1H-MR spectroscopy study. *Ped Res* **82**:749-75, 2017.

285. 2017 Suzuki Y., Nakamura Y., Yamada K., Kurabe S., Okamoto K., Aoki H., Kitaura H., Kakita A., Fujii Y., Huber V. J., Igarashi H., Kwee I. L., Nakada T.: Aquaporin PET differentiates between grade III and IV human astrocytoma. *Neurosurg* 2017 Jun 21. doi: 10.1093/neuros/nyx314. [Epub ahead of print]
286. 2017 Nakada T., Kwee I. L., Igarashi H., Suzuki Y.: Aquaporin-4 functionality and Virchow-Robin space water dynamics: Physiological model for neurovascular coupling and glymphatic Flow. *Int J Mol Sci* **18**:1798, 2017.
287. 2017 Suzuki K., Yamada K., Nakada K., Suzuki Y., Watanabe M., Kwee I. L., Nakada T.: MRI characteristics of the glia limitans externa: a 7T Study. *Magn Reson Imaging* **44**:140-145, 2017.
288. 2017 Natsumeda M., Motohashi K., Igarashi H., Nozawa T., Abe H., Tsukamoto Y., Ogura R., Okada M., Kobayashi T., Aoki H., Takahashi H., Kakita A., Okamoto K., Nakada T., Fujii Y.: Reliable diagnosis of IDH-mutant glioblastoma by 2-hydroxyglutarate detection: a study by 3-tesla magnetic resonance spectroscopy. *Neurosurg Rev* (In Press).
290. 2017 Kwee I. L., Matsuzawa H., Nakada K., Fujii Y., Nakada T.: Inferior colliculus syndrome: Clinical MR microscopy anatomic analysis on a 7 Tesla system. *SAGE Open Medical Case Reports* 5:1-4, 2017.
291. 2017 Sakata H., Itoh K., Suzuki Y., Nakamura K., Watanabe M., Igarashi H., Nakada T.: Slow accumulations of neural activities in multiple cortical regions precede self-initiation of movement: An Event-Related fMRI Study. *eNeuro*. 2017 Oct 30;4(5). pii: ENEURO.0183-17.2017. doi: 10.1523/ENEURO.0183-17.2017. eCollection 2017 Sep-Oct
292. 2017 Terumitsu M., Matsuzawa H., Seo K., Watanabe M., Kurata S., Suda A., Nakada T.: High-contrast high-resolution imaging of posttraumatic mandibular nerve by 3DAC-PROPELLER magnetic resonance imaging: correlation with the severity of sensory disturbance. *Oral Surg Oral Med Oral Pathol Oral Radiol*. **124**:85-94, 2017
293. 2017 Itoh K., Sakata H., Kwee I. L., Nakada T.: Musical pitch classes have rainbow hues in pitch class-color synesthesia. *Sci Rep* (In Press).

BOOKS/CHAPTERS

1. 1984 Nakada T. and Knight R. T.: Alcohol and the central nervous system. In Geokas, M. G. (ed) *Ethyl Alcohol and Disease*. Medical Clinics of North America, Volume 68, Saunders, Boston, pp. 121-131

2. 1985 Nakada T. and Kwee I. L.: *Neurology the Second Generation*. Igakukenkyusha, Tokyo, pp 1-219
3. 1990 Nakada T. and Kwee I. L.: *Neurology the Second Generation*. 2nd Edition. Igakuhyoronsha, Tokyo, pp 1-170
4. 1990 Nakada T., Kwee I. L., Suzuki N., and Ellis W. G.: Regional phospholipid profile of Alzheimer's brain: ^{31}P and proton NMR spectroscopic studies of membrane lipids extracts. In Nagatsu T., Fisher A., and Yoshida M. (eds) *Basic, Clinical, and Therapeutic Aspects of Alzheimer's and Parkinson's Disease*. Plenum Press, New York, Vol. 1, pp. 183-186
5. 1991 Kwee I. L. and Nakada T.: HIV and Central Nervous System Diseases. In Nakada T. (ed) *UC Davis-East Bay AIDS Handbook*. Igakuhyoronsha, Tokyo, pp. 123-136
6. 1991 Nakada T.: Brain maturation and acid-base balance: Taurine/N-acetyl-aspartate replacement hypothesis. In Niimi H., Hori M., Naritomi H. (eds) *Microcirculatory Disorder in the Heart and Brain*. Harwood Academic Publishers, Philadelphia, pp. 175-188
7. 1993 Nakada T.: CNS complications of cocaine abuse. In Kurihara T., Tashiro K., Mizuno Y. (Eds) *Modern Concept in Neurology*, Igakushoin, Tokyo, pp. 44-47
8. 1994 Nakada T.: CNS manifestation of HIV infection. In T. Kimura and N. Yamamoto (eds) *Modern Management of HIV Infection*, Nankodo, Tokyo, pp. 76-85
9. 1995 Nakada T.: Magnetic Resonance Spectroscopy. In Kurihara T., Tashiro K., Mizuno Y. (eds) *Modern Concept in Neurology*. Igakushoin, Tokyo, pp. 19-26
10. 1995 Nakada T.: Proton Magnetic Resonance Spectroscopy. In Sasaki Y. (ed) *Introduction to the Magnetic Resonance Imaging*. Eizo-Joho Medical, Tokyo, pp. 169-176
11. 1997 Nakada T.: Principles of MRI. In Nakada T. and Houkin K. (eds) *Magnetic Resonance Angiography of the Brain and Spinal Cord*. Chugai Publishers, Tokyo, pp. 1-44
12. 1998 Nakada T.: MR Analysis of Brain Function. In Kanazawa (ed) *Integrated Textbook of Internal Medicine, Progress 12: Disorders of CNS and Muscle*. Nakayama Shoten, Tokyo pp.78-88, 1998
13. 1998 Kuwabara T. and Nakada T.: Magnetic Resonance Spectroscopy in CNS Disorders. In Kanazawa (ed) *Integrated Textbook of Internal Medicine, Progress 12: Disorders of CNS and Muscle*. Nakayama Shoten, Tokyo pp.89-106, 1998

14. 1998 Nakada T.: MR Axonography: Theory and Practice. In Yuasa T., Prichard JW, Ogawa S (eds.) *Current Progress in Functional Brain Mapping: Science and Applications*. Nishimura/Smith-Gordon, London, pp. 53-55 1998
15. 1998 Igarashi H., Tsuganezawa T., Katayama Y., Yamamuro M. Terashi A. and Nakada T.: Three-dimensional anisotropy contrast magnetic resonance imaging of the human pyramidal tract. In Yuasa T., Prichard JW, Ogawa S (eds.) *Current Progress in Functional Brain Mapping: Science and Applications*. Nishimura/Smith-Gordon, London, pp. 165-167 1998
16. 1999 Nakada T., Fujii Y., Tanaka R.: MRI. In Takakura K., Saito I., Satou K. (eds) *Brain Tumor*. Medical View, Tokyo, pp. 48-57, 1999
17. 1999 Nakada T., Houkin K., Matsuzawa H.: New Trends in MRI-MRA. In Hori T., Taira T., Izeki Y. (eds) *Advanced Neurosurgery*. Advanced Medical Research Insitute, Tokyo, pp. 203-207, 1999
18. 1999 Nakada T.: Epilepsy. In Kurokawa K. and Matsuzawa Y. (eds) *Textbook of Medicine*. Bunkodo, Tokyo, pp. 1711-1714, 1999
19. 1999 Nakada T.: Brain Functional Analysis. In Kurokawa K. and Matsuzawa Y. (eds) *Textbook of Medicine*. Bunkodo, Tokyo, pp. 1631-1635, 1999
20. 1999 Nakada T.: Neurological Complications of AIDS. In Kurokawa K. and Matsuzawa Y. (eds) *Textbook of Medicine*. Bunkodo, Tokyo, 1652-1654, 1999
21. 2000 Nakada T.: Seizures. In Tashiro K., Yamamoto T., and Hirokawa G. (eds) *Diagnostic Challenge in Neurology*. Nankodo, Tokyo, pp. 35-37, 2000
22. 2000 Nakada T.: Acute hemiparesis. In Tashiro K., Yamamoto T., and Hirokawa G. (eds) *Diagnostic Challenge in Neurology*. Nankodo, Tokyo, pp. 105-107, 2000
23. 2000 Nakada T.: Functional MRI of literacy. In Kato T. (ed.) *Frontieres of the Mechanisms of Memory and Dementia*. Elsevier, Amsterdam, pp. 21-24, 2000
24. 2000 Nakada T.: Functional MRI. In Mori H., Manabe T., Watanabe M., Okano H., and Miyakawa T. (eds) *Neuroscience Illustrated*. Yodosha, Tokyo, 345-353, 2000
25. 2000 Matsuzawa H., Nakada T.: Diffusion MRI. In Matsushita M. (ed.) *Imaging in Psychiatry*. Nakyama, Tokyo, 79-92, 2000
26. 2000 Nakada T.: Myths and truths in fMRI. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 43-70, 2000
27. 2000 Nakada T.: Development of 3.0 Tesla vertical MRI system for advanced fMRI. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 71-78, 2000

28. 2000 Suzuki K, Kiryu T., Nakada T.: An efficient method for ICS analysis of functional magnetic resonance imaging. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 91-100, 2000
29. 2000 Pflieger M. E., Nakada T.: The spatial resolving power of high-density EEG: an assessment of limits. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 147-192, 2000
30. 2000 Suwazono S., Pflieger M. E., Jacobs R. E., Nakada T.: All phase event-related potentials during listening to music. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 193-200, 2000
31. 2000 Matsuzawa H., Nakada T.: Lambda chart analysis and eigenvalue imaging. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 219-226, 2000
32. 2000 Nakayama N., Fujii Y, Nakada T.: Single ellipsoid diffusion tensor analysis. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 227-232, 2000
33. 2000 Matsuzawa H., Suzuki Y., Saito H., Nakada T.: Principal eigenvector imaging (PEvecI): Comparison of deterministic vs. optical methods. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 233-238, 2000
34. 2000 Kwee I. L., Nakada T.: fMRI guided near-infrared spectroscopy: an example for Parkinson's disease. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 267-273, 2000
35. 2000 Nakada T.: Music as a second language. In Nakada T. (ed.) *Integrated Human Brain Science*. Elsevier, Amsterdam, pp. 337-356, 2000
36. 2001 Nakada T.: Practical issues in functional MRI. In Shibasaki H., Tagawa K., Yuasa T. (eds.) *Dynamic Diagnostic Neurology*. Nishimura, Tokyo, pp. pp. 575-581, 2001
37. 2001 Nakada T.: High-field MRI. In *Recent Advancemnet in Neurological and Muscular Diseases*. Sentan-Iryo Kenkyusho, Tokyo, pp. 285-291, 2001
38. 2001 Nakada T. An Approach from Brain Science. In *Art Therapy and Expression Pathology*. Arc Media, Tokyo, pp. 23-26, 2001
39. 2001 Nakada T.: *One plus one*. Kinokuniya, Tokyo, pp. 1-198, 2001
40. 2001 Nakada T.: Functional Resolution and Neurosurgery. In Kayama T. (ed.) *Brain Tumor Surgery*. Medica Pub, Tokyo, pp.116-121, 2001
41. 2001 Nakada T.: Functional MRI: Principle Guidance for Practitioners. In Takada A., Kato T., Nakahara D., Nomura M., Eds, *Memory and Its Molecular Basis*, Igakushoin, Tokyo pp. 180-194, 2001
42. 2002 Nakada T., Matsuzawa H.: ADC image. In Kobayashi S. (ed), *Stroke Navigator*, Medical Review, Tokyo, pp. 108-109, 2002

43. 2002 Nakada T., Fujii Y.: High-Field MRI. In Kobayashi S. (ed), *Stroke Navigator, Medical Review*, Tokyo, pp. 120-121, 2002
44. 2002 Nakada T.: *Plus Alpha*. Kinokuniya, Tokyo, pp. 1-145, 2002
45. 2002 Suwazono S., Pflieger M. E., Nakada T.: Spatially interpolated group averaging with 256-channel event-related potential data. In Hirata K., Koga Y., Nagata K., Yamazaki K. (eds) *Recent Advances in Human Brain Mapping*, Elsevier, Amsterdam, pp. 390-395, 2002
46. 2003 Nakada T.: *Jungle Hospital USA*, Kinokuniya, Tokyo, pp. 1-165, 2003
47. 2006 Nakada T.: *Neuroscience of Water Molecules*, Kinokuniya, Tokyo, pp. 1-174, 2006
48. 2007 Suzuki K., Nakada T.: Neural Net. Higuchi T., et al. (eds): *Key word in Psychiatry*, 4th Edition, Tokyo, 204-205, 2007
49. 2007 Abao H., Suwazono S., Sakamoto T., Nakada T.: ERP correlates of the processing of object-verb integration in Japanese. In Sakamoto T. (ed) *Communicating Skills of Intension*, Hitsuzi Syobo Publishing, Tokyo, pp. 319-336, 2007.
50. 2010 Nakada T.: *Bokujo seifu: Medicine as Complex System*, Nihon Ijishinpo, Tokyo, pp. 1-149, 2010.
51. 2012 Nakada T.: *Scientific Investigation of Ancient Japan*. PHP, Tokyo, pp. 1-187, 2012.
52. 2012 Nakada T., Matsuzawa H., Suzuki K.: *Magnetic Resonance Imaging*, Nihon Ijishinpo, Tokyo
53. 2014 Nakada T.: *Scientist's View for Ancient Japan*. PHP, Tokyo, pp. 1-189, 2014